Supporting People with Intellectual Disabilities



Positive Behavior Supports

Yolanda Van Horn, Ph.D. Casey Nelson, Psy.D. Tiffani Johnson, JD

Learning Objectives



 Participants will be able to describe two goals of positive behavior supports.

2. Participants will be able to list at least one example of a restrictive control.

Introduction



Historically, challenging behaviors in people with intellectual disabilities have been subjected to punishment and aversive techniques.

Punishment and aversive techniques will suppress undesirable behavior -but only temporarily - because they don't teach new skills or provide proactive strategies to prevent the behaviors from occurring in the first place.

Positive behavior supports is an approach that is more respectful and more effective for producing lasting behavior change.



Positive Behavior Supports



 The objective of Positive Behavior Supports is not just to define and eliminate undesirable behaviors but to understand the function of the behaviors so we can teach more effective alterative behaviors, modify the environment, and promote patterns of support that make problem behavior less likely to occur.



Positive Behavior Supports



- The goals of Positive Behavior Supports are to:
 - 1. Understand the purpose, or function, of problem behaviors

 FUNCTIONAL ASSESSMENT
 - 2. Strengthen existing skills and teach new skills that serve the same functional purpose as the problem behavior

SKILL BUILDING

3. Modify the environment and staff-person interactions to make problem behaviors *less* likely to occur and make effective behaviors *more* likely to occur.

PROACTIVE STRATEGIES

You can't change problem behavior in a problem environment.



When is a behavior support plan needed?



A behavior support plan shall be developed in response to any of the following occurrences:

- Behaviors pose a threat to the health and/or safety of the individual or others;
- Behaviors interfere with the attainment of learning goals, community integration, or other personal outcomes identified through the ISP process;
- Whenever an individual is prescribed more than one psychotropic medication for behavioral support
- Whenever use is made of any restrictive controls to manage a behavioral crisis.



Behavior Support Plan Template

interval recording, duration recording). Describe ho effectiveness of the behavior support plan. The resi

Describe how staff who work with the person will b

District of Columbia ■ Developmental Disabilities

quarterly reports.


16 Staff Training

the BSP as it is written.


Behavior Support Plan Template



1 Identification Person's Name: Date of Birth: Person's Age: Day Placement: Residential Placer Date of Plan: Date of Revision: Date of Plan Expiration Name of BSP deve Describe the reason(s) or clinical rationale for the necessity of the behavior support plan. 3 Relevant History Describe background information that is relevant to the current behavior(s) of interest. Describe used to address target behaviors, and their results. Describe prior restrictive interventions us developmental history is not necessary. 4. Diagnostic Information Mental Health Diagnosis Intellectual/Developmental Diagnosi Medical Diagnosis **Medication Treatment** List currently prescribed psychotropic and nonpsychotropic medications. A Psychotropic Medications Dosage Symptom targeted by medication Medication Non-Psychotropic Medications: Medication Symptom targeted by medication **Target Behaviors** Provide an operational definition for each target behavior, describing observable elements that show 1 year data for the residence and 1 year data for the day program setting. Target behave danger to the health or safety of the person or to those District of Columbia ■ Developmental Disabilities Administration ■ Behavior Support Plan Template



District of Columbia ■ Developmental Disabilities Administration ■ Behavio



District of Columbia - Developmental Disabilities Administration - Behavior Support Plan Template rev 8.09.2013

Key elements of PBS

Functional Assessment



3. A functional assessment is a step by step process of gathering information about the <u>antecedents</u> that evoke the behavior, <u>consequences</u> that maintain the behavior and the purpose, or <u>function</u>, of the behavior


ABC Observation Data Sheet

Date, time	Antecedent	Behavior	Consequence
	What happened just before the behavior?	What was done or said? Be specific	What happened just after the behavior?
1/1/16 2pm	Staff set up the computer for John to complete an online job application	John became irate, when he saw how long the application was. He threw the computer keyboard at the staff, hitting her in the face.	John ran out of the room to sit by himself in the hallway. Staff joined him in the hallway and allowed him to discuss his anxiety/concerns. Staff redirected him to positive conversation until he was calm and willing to return to the room.

<u>Function</u>: John shows aggression in order to terminate frustrating or anxiety provoking situations

Positive Behavior Supports





Key elements of PBS Proactive strategies



- Behavior support plans clearly identify proactive positive strategies that will be used to minimize or ameliorate the need for control procedures
- Proactive strategies focus on preventing the undesirable behavior, while reactive strategies are designed to manage the behavior as it occurs.




Examples of proactive strategies



- Assist the person in communicating her desires more effectively
- Adjust lifestyle to support desired health outcomes
- Change the physical environment such as reducing noise, increasing space, and ensuring availability of preferred items
- Give choice of schedule of activities
- Modify how staff listen and communicate with the person
- Increase opportunities for more choice and control
- Develop and maintain relationships
- Provide opportunities to engage in preferred activities
- Modify support to increase independence
- Eliminate barriers that prevent a person from accessing friends and family









Restrictive Control Review Committee

What is a Restrictive Control?



- A restrictive control or a restrictive intervention can include, but is not limited to the following:
 - Any device, procedure, protocol or actions that restricts, limits or otherwise negatively impacts a person's freedom of movement, control over his or her own body; or access to anything that would typically be available to people in the community, including privacy.

What Does the RCRC Review?



- All BSPs involving individualized staffing
- All BSPs involving non-crisis use of physical restraint
- All BSPs that involve the use of any other restrictive control
- All BSPs for people who are prescribed psychotropic medications to affect or alter through processes, mood, sleep or behavior
- Initial requests for exemption

Who Can Serve on the RCRC?



- Allied health professional (preferably a psychiatrist with expertise in behavioral supports)
- Behavioral health professional (preferably a psychologist with expertise in behavior supports)
- Advocates for people with developmental disabilities
 - Can include people DDS supports
- At the discretion of the DDS Deputy Director for DDA, other DDS employees
- Quorum is a simple majority with a preference for having at least one external member.

8 RCRC Review Criteria



- Does the BSP include target behaviors that are consistent with the person's diagnosis?
- Does the BSP include relevant data collection?
- Does the BSP include demonstrated review of the data by the BSP clinician?
- Does the BSP include procedures to address behavioral issues that are consistent with DDA policies?

- Does the BSP include a functional analysis?
- Are there proactive strategies identified in the BSP?
- Is there a rationale for using the restrictive intervention?
- Are there benchmarks for reducing the restrictive interventions, including a titration plan for medications (or a statement of lowest effective dose based on prior attempts?



Inappropriate Target Behaviors

- Behaviors which cannot be observed or measured reliably (e.g., mood states)
- Behaviors for which a replacement behavior cannot be taught (e.g. hallucinations, responding to psychotic statements)
- Behaviors which are not a danger to self, others or property
- Behaviors which are a form of communication
- False allegations as a target behavior must include a statement that ALL allegations must be investigated pursuant to DDS policy

- Gossiping
- Telling tall tales
- Swearing
- Jumping up and down
- Being late
- Coming home late
- Refusing reasonable requests
- Noncompliance
- Tantrums
- Acting out
- Benign behaviors which does not specify a parameter (e.g. crying for longer than an hour)
 - Self-talk
 - Staying to one's self
 - Nail biting
 - Pacing
 - Touching your head

Review Outcomes



- After a discussion of the 8 review criteria, the Committee can either approve, reject or defer the BSP.
- Approval BSP meets all 8 criteria Approvals are granted for up to one year
 - Approvals can be extended for longer in order to align the BSP with the ISP
- Rejection BSP doesn't meet one or more of the of the 8 criteria
- Deferral Committee needs more information in order to determine if the plan meets all 8 criteria